

REFERENCES CITED

1. Pryer, K. M., H. Schneider, A. R. Smith, R. Cranfill, P. G. Wolf, J. S. Hunt and S. D. Sipes. 2001. Horsetails and ferns are a monophyletic group and the closest living relatives to seed plants. *Nature* 409: 618-622.
2. Renzaglia, K.S. **T. H. Johnson***, H. D. Gates and D. P. Whittier. 2001. Architecture of the sperm cell of *Psilotum*. *American Journal of Botany* 88: 1151-1163.
3. Renzaglia, K.S., S. B. Dengate, S. J. Schmitt and J. G. Duckett. Novel features of *Equisetum arvense* spermatozoids: insights into pteridophyte evolution. *New Phytologist* (in press).
4. **Johnson, T.H.***, S.J. Schmitt and K.S. Renzaglia. Diversity of sperm cell architecture in ferns. *Microscopy and Microanalysis* (in press).
5. **Davidson, K. A.***, L. G. Hickok and K.S. Renzaglia. 2001. Microscopic characterization of a sperm mutant line of the fern *Ceratopteris richardii*. *Microscopy and Microanalysis* (in press).
6. Renzaglia, K. S. and A. R. Maden. 2000. Microtubule organizing centers and the origin of centrioles during spermatogenesis in the pteridophyte *Phylloglossum*. *Microscopy Research and Technique* 49: 496-505.
7. Renzaglia, K. S. and K. C. Vaughn. 2000. Morphology and classification of the Anthocerophyta. *In: The biology of bryophytes*, Pp. 1-20. J. Shaw and DB. Goffinet Eds.) Cambridge University Press, Cambridge, UK.
8. Renzaglia, K.S., R. J. Duff, D. N. Nickrent and D. J. Garbary. 2000. Vegetative and reproductive innovations of early land plants: implications for a unified phylogeny. *Philosophical Transactions of the Royal Society* 355: 769-793.
9. Ligrone, R., J. G. Duckett. and K. S. Renzaglia. 2000. Conducting tissues and phyletic relationships of bryophytes. *Philosophical Transactions of the Royal Society* 355: 795-813.
10. Renzaglia, K. S. and K. D. McFarland. 1999. Antheridial plants of *Megaceros aenigmaticus* in the Southern Appalachians: anatomy, ultrastructure and population distribution.. *Hausknechtia Beiheft* 9 (RICLEF GROLLE-Festschrift): 307-316.
11. Renzaglia, K. S., D. L. Bernhard and D.J. Garbary. 1999. Developmental ultrastructure of the male gamete of *Selaginella*. *International Journal of Plant Sciences* 160: 14-28.
12. Schmitt, S. J. and K. S. Renzaglia. 1999. Correlative SEM and TEM of plant spermatozoids: *Equisetum arvense* L. *Microscopy and Microanalysis* 5: 1260-1261.
13. Vaughn, K. C. and K. S. Renzaglia. 1998. Origin of bicentrioles in anthoceroate spermatogenous tissue. *In: Bryology for the twenty first century*. Maney & the British Bryological Society, Leeds, UK. Pp. 189-203. W. J. Bates, N. W. Ashton, and J. G. Duckett (eds.)
14. Garbary, D. J. and K. S. Renzaglia. 1998. Bryophyte phylogeny and the evolution of land plants: Evidence from development and ultrastructure. *In: Bryology for the twenty first century*. Maney & The British Bryological Society, Leeds, UK. Pp. 45-63. W. J. Bates, N. W. Ashton, and J. G. Duckett (eds.)
15. Renzaglia, K. S., S. B. Dengate and D.L. Bernhard 1998. Architecture of the spermatozoid of *Selaginella australiensis*. *American Fern Journal* 88: 1-16.
16. Maden, A. R., D. P. Whittier D.J. Garbary, and K.S. Renzaglia. 1997. Ultrastructure of the spermatozoid of *Lycopodiella lateralis* (Lycopodiaceae). *Canadian Journal of Botany* 75: 1728-1738.
17. Renzaglia, K. S., K. D. McFarland, and D.K. Smith. 1997. Anatomy and ultrastructure of the sporophyte of *Takakia ceratophylla* (Bryophyta). *American Journal Botany* 84: 1337-1350.
18. Duckett, J.G., R. Ligrone and K.S. Renzaglia. 1996. Plastid-dividing rings in pteridophytes. *In J.M. Camus, M. Gibby and R.J. Johns (eds). Pteridology in perspective*, pp. 471-487, Royal Botanic Gardens, Kew.

19. Maden, A. R., K. S. Renzaglia and D. P. Whittier. 1996. Comparative ultrastructure of the spermatozoid of *Lycopodium obscurum* (Lycopodiaceae). *American Journal of Botany* 83: 419-429.
20. **Duncan, T. M.***, K. S. Renzaglia and D. J. Garbary. 1997. Ultrastructure and phylogeny of the spermatozoid of *Chara vulgaris*. *Plant Systematics and Evolution* 204: 125-140.
21. **Pass, J. M.*** and K. S. Renzaglia. 1995. Comparative microanatomy of the locomotory apparatus of *Conocephalum conicum*. *Fragmenta Floristica et Geobotanica* 40: 365-377.
22. Palisano, J. R., K. S. Renzaglia, A. R. Maden and D. P. Whittier. 1995. Annulate lamellae in spermatogenous cells of *Lycopodium obscurum*. *Canadian Journal of Botany* 73: 552-556.
23. Renzaglia, K. S. and T. R. Warne. 1995. *Ceratopteris*: an ideal model system for teaching plant biology. *International Journal of Plant Sciences* 156: 385-392.
24. Rushing, A. E., Z. B. Carothers and K. S. Renzaglia. 1995. Blepharoplast architecture of the mid-stage spermatid of *Riccardia multifida*. *Bryologist* 98: 84-91.
25. Bernhard, D. L. and K. S. Renzaglia. 1995. Spermiogenesis in the moss *Aulacomnium palustre*. *Bryologist* 98: 52-70.
26. Renzaglia, K. S. T. R. Warne and L. G. Hickok. 1995. Plant development and the fern life cycle using *Ceratopteris richardii*. *American Biology Teacher* 57: 438-442.
27. Renzaglia, K. S., E. M. Rasch, and L. M. Pike. 1995. Estimates of nuclear DNA content in bryophyte sperm cells: phylogenetic considerations. *American Journal of Botany* 82: 18-25
28. **Lucas, J. R.***, and K. S. Renzaglia. Structure and function of hornwort stomata. *Microscopy and Microanalysis* (submitted)
29. Renzaglia, K. S. and D. J. Garbary. 2001. Motile male gametes of land plants: diversity, development and evolution. *Critical Reviews in Plant Sciences* 20: 107-213.
30. Buck, W. R. and B. Goffinet. 2000. Morphology and classification of mosses. *In: The biology of bryophytes*, Pp. 71-123. J. Shaw and DB. Goffinet Eds.) Cambridge University Press, Cambridge, UK
31. Crandall-Stotler, B. and R. E. Stotler. 2000. Morphology and classification of the Marchantiophyta. *In: The biology of bryophytes*, Pp. 21-70. J. Shaw and DB. Goffinet Eds.) Cambridge University Press, Cambridge, UK.
32. Nickrent, D. L, Parkinson, Palmer, and R. J. Duff. 2000. Multigene phylogeny of plants: hornworts are basal and mosses are sister to liverworts. *Molecular Biology Evolution*. 17(12):1885-1895.
33. Malek, O., K. Lättig, R. Hiesel, A. Brennicke and V. Knoop. 1996. RNA editing in bryophytes and a molecular phylogeny of land plants. *EMBO Journal* 15: 1403-1411.
35. Hedderson, T. A., R. Chapman & C. J. Cox. 1998. Bryophytes and the origins and diversification of land plants: new evidence from molecules. Pp. 65-77 *in* J. W. Bates, N. W. Ashton, & J. G. Duckett (Editors), *Bryology for the Twenty-first Century*. British Bryological Society.
36. Beckert, S., S. Steinhauser, H. Muhle, and V. Knoop. 2000. A molecular phylogeny of bryophytes based on nucleotide sequences of the mitochondrial *nad5* gene. *Plant Systematics and Evolution* 218: 179-192.
37. Nishiyama T. and M. Koto. 1999. Molecular phylogenetic analysis among bryophytes and tracheophytes based on combined data of plastid coded genes and the 18s rRNA gene. *Molecular Biology and Evolution* 16: 1026-1037.
38. Goffinet, B. 2000. Origin and phylogenetic relationships of bryophytes. *In: The biology of bryophytes*, Pp. 71-123. J. Shaw and DB. Goffinet Eds.) Cambridge University Press, Cambridge, UK
39. Schuster, R. M. 1992. The hepaticae and Anthocerotae of North America. Vol. VI. Field Museum of Natural History, Chicago.
40. Hasegawa, J. 1988. A proposal for a new system of the Anthocerotae, with revision of the genera. *Journal of the Hattori Botanical Lab* 64.

41. Hässel de Menéndez, G. G. 1988. A proposal for a new classification of the genera within the Anthocerotophyta. *Journal of the Hattori Botanical Lab* 64: 71-86.
42. Hyvönen, J. and S. Piippo. 1993. Cladistic analysis of the hornworts (Anthocerotophyta). *Journal of the Hattori Botanical Lab* 74: 105-119.
43. Hasegawa, J. 1994. New classification of Anthocerotae. *Journal of the Hattori Botanical Lab* 76: 21-
44. Tan, B. C. and T. Pocs. 2000. Biogeography and conservation of bryophytes. *In: The biology of bryophytes*, Pp. 403-448. J. Shaw and DB. Goffinet (Eds.) Cambridge University Press, Cambridge, UK.
45. Shaw, J. A. 2001. Biogeographic patterns and cryptic speciation in bryophytes. *Journal of Biogeography* 28: 253-261.
46. Vaugh, K. C., R. Ligrone, H. A. Owen, J. Hasegawa, E. O. Campbell, K. S. Renzaglia and J. Monge-Najera. 1992. The anthocerote chloroplast: a review. *New Phytologist* 120: 169-190.
47. Qiu, Y.-L., Y. Cho, J. C. Cox and J. D. Palmer. 1998. The gain of three mitochondrial introns identifies liverworts as the earliest land plants. *Nature (London)* 394: 671-674.
48. Lewis, L. A., B. D. Mishler and R. Vilgalys. 1997. Phylogenetic relationships of the liverworts (Hepaticae), a basal embryophyte lineage, inferred from nucleotide sequence data of the chloroplast gene *rbcL*. *Molecular Phylogenetics and Evolution* 7: 377-393.
49. Kenrick, P. and P. R. Crane. 1997. The origin and early diversification of land plants: a cladistic study. Smithsonian Institution Press, Washington D.C.
50. Mishler, B. D. and S. P. Churchill. 1984. A cladistic approach to the phylogeny of the bryophytes. *Brittonia* 36: 406-424.
51. Mishler, B. D. and S. P. Churchill. 1985. Transition to a land flora: phylogenetic relationships of the green algae and bryophytes. *Cladistics* 1: 305-328.
52. Mishler, B. D., L. A. Lewis, M. A. Buchheim, K. S. Renzaglia, D. J. Garbary, C. F. Delwiche, F. W. Zechman, T. S. Kantz and R. L. Chapman. 1994. Phylogenetic relationships of the "green algae" and "bryophytes". *Annals of the Missouri Botanical Garden* 81: 451-483.
53. Manhart, J. R. 1994. Phylogenetic analysis of green plant *rbcL* sequences. *Molecular Phylogenetics and Evolution* 3: 114-127.
54. Oostendorp, C. 1987. The bryophytes from the Palaeozoic and Mesozoic. *Bryophytorum Bibliotheca* 34: 1-112.
55. Richardson, J. B. 1985. Lower Palaeozoic sporomorphs: their stratigraphical distribution and possible affinities. *Philosophical Transaction of the Royal Society of London, Botany*, 309: 201-205.
56. Proskauer, J. 1960. Studies on Anthocerotales. VI. *Phytomorphology* 10:1-19.
57. Graham, L. E. 1993. *Origin of Land Plants*. John Wiley and Sons, Inc., New York.
58. Kronken, S. B., L. E. Graham and E. C. Martha. 1996. Occurrence and evolutionary significance of resistant cell walls in charophytes and bryophytes. *American Journal of Botany* 83: 1241-1254.
59. Cook, M. E., L. E. Graham, and C. E. J. Botha. 1997. Toward an elucidation of the evolutionary origin of plant plasmodesmata. *American Journal of Botany*. (in press).
60. Swofford, 1998. PAUP*: phylogenetic analysis using parsimony, version 4.0 b2a. Sinauer Associates, Sunderland, MA.
61. Johnson, L. A. and D. E. Soltis. 1998. Assessing congruence: empirical examples from molecular data. *In* D. E. Soltis, P. S. Soltis and J. J. Doyle [eds.], *Molecular Systematics of Plants II. DNA Sequencing*, 297-348 Kluwer Academic Publishers, Boston, MA.
62. Heckman, D. S., D. M. Geiser, B. R. Eidell, R. L. Stauffer, N. L. Kardos, and S. B. Hedges. 2001. Molecular evidence for the early colonization of land by fungi and plants. *Science* 293: 1129-1133.
63. Bharadwaj, D. C. 1971. On *Folioceros*, a new genus of Anthocerotales. *Geophyton*. 1: 6-15.

64. Piippo, S. 1993. Bryophyte flora of the Huon Peninsula, Papua New Guinea. LIV. Acta Bot. Fennica 148: 27-51.
65. Hässel de Menéndez, G. G. 1986. *Leisporoceros* Hässel n. gen. And Leiosporocerotaceae Hässel n. fam. of Anthocerotopsida. Journal of Bryology 14: 255-259.
66. Beckert, S., M. Hermann, D. Pruchner, and V. Knoop. 2001. The mitochondrial *nad2* gene as a novel marker locus for phylogenetic analysis of early land plants: a comparative analysis of mosses. Molecular Phylogenetics and Evolution 18(1): 117-126.
67. Yoshinga, K., H. Inuma, T. Masuzawa and K. Uedal. 1996. Extensive RNA editing of U to C in addition to C to U substitution in the *rbcL* transcripts of hornwort chloroplasts and the origin of RNA editing in green plants. Nucleic Acids Research 24: 1008-1014.
68. Bowe, L. M. and C. W. dePamphilis. 1996. Effects of RNA editing and gene processing on phylogenetic reconstruction. Molecular Biology and Evolution. 13: 1159-1166.
69. Karol, K. G., R. M. McCourt, M. T. Cimino, and D. F. Delwiche. 2001. The closest living relatives of land plants. Science 294: 2351-2353.
70. Gilbert, D. 1993. SeqApp, version 1.9a157. Biocomputing Office, Biology Dept., Indiana University, Bloomington, IN 47405.
71. Nicholas, K.B., Nicholas H.B. Jr., and Deerfield, D.W. II. 1997 GeneDoc: Analysis and Visualization of Genetic Variation, EMBNEW.NEWS 4:14
72. Duff, R. J. and D. L. Nickrent. 1999. Phylogenetic relationships of land plants using mitochondrial small-subunit rDNA sequences. American Journal of Botany 86: 372-386.
73. Simmons, M.P. and H. Ochoterena. 2000. Gaps as characters in sequence-based phylogenetic analyses. Systematic Biology 49(2): 369-381.
74. Simmons, M. P., H. Ochoterena, and T. G. Carr. 2001. Incorporation, relative homoplasy and effects of gap characters in sequence-based phylogenetic analyses. Systematic Biology 50(3): 454-462.
75. Vaughn, K. C. and J. D. Harper. 1998. Microtubule organizing centers (MTOCs) and nucleating sites in land plants. International Review of Cytology 181: 75-149.
76. Duckett, J. G. and K. S. Renzaglia. 1988. Ultrastructure and development of plastids in bryophytes. Advances in Bryology 3: 33-93.
77. Asthana, A. K. and S. C. Srivastava. 1991. Indian Hornworts: a taxonomic study. J. Cramer, Berlin.
78. Burr, F. A. 1969. Reduction in chloroplast number during gametophyte regeneration in *Megaceros flagellaris*. Bryologist 72: 200-209.
79. Schuster, R. M. 1984. Morphology, phylogeny and classification of the Anthocerotae. Hattori Botanical Laboratory, Nichinan, Japan.
80. Brown, R. C. and B. E. Lemmon. 1988. Sporogenesis in bryophytes. Adv. Bryol. 3: 159-223.
81. Hasegawa, J. 1990. Autofluorescence of elaters in the Anthocerotae and its taxonomic significance. Journal of the Hiraoka Environmental Science Laboratory 3:1-9.
82. Ligrone, R. and K. S. Renzaglia. 1990. The sporophyte-gametophyte junction in the hornwort, *Dendroceros tubercularis* Hatt (Anthocerotophyta). New Phytologist 114: 497-505.
83. Graham, L. E., C. F. Delwiche and B. D. Mishler. 1991. Phylogenetic connections between the "green algae" and "bryophytes". Advances in Bryology 4: 213-244.
84. Ligrone, R., J. G. Duckett and K. S. Renzaglia. 1993. The gametophyte-sporophyte junction in land plants. Advances in Botanical Research 19: 231-317.
85. De Queiroz, A., M. J. Donoghue, and J. Kim. 1995. Separate versus combined analysis of phylogenetic evidence. Annual Review Ecology and Systematics 26: 657-681.
86. Huelsenbeck, J. P., J. J. Bull, and C. W. Cunningham. 1996. Combining data in phylogenetic analysis. TREE 11:152-158.
87. Farris, J. S., M. Källersjö, A. G. Kluge, and C. Bult. 1995. Testing significance of incongruence. Cladistics 10: 315-319.

88. Templeton, A. R. 1983. Phylogenetic inference from restriction endonuclease cleavage site maps with particular reference to the evolution of humans and the apes. *Evolution* 37: 221-244.
89. Felsenstein, J. 1985. Confidence limits on phylogenies: an approach using the bootstrap. *Evolution* 39: 783-791.
90. Bremer, K. 1988. The limits of amino acid sequence data in angiosperm phylogenetic reconstruction. *Evolution* 42: 795-803.
91. Eriksson, 1998. AutoDecay, Version 4.0. Bergius Foundation, Royal Swedish Academy of Sciences, Stockholm.
92. Maddison, W. P. and D. R. Maddison. 1992. MacClade, Analysis of Phylogeny and Character Evolution, version 3.01. Sinauer Associates, Inc., Sunderland, MA.
93. Ronquist, F. 1997. Dispersal-vicariance analysis: A new approach to the quantification of historical biogeography. *Systematic Biology* 46: 195-203.
94. Wikstrom, N. and P. Kenrick. 2001. Evolution of Lycopodiaceae (Lycopsidea): Estimating divergence times from *rbcL* gene sequences by use of nonparametric rate smoothing. *Molecular Phylogenetics and Evolution* 19(2): 177-186.
95. May, T. W. 2001. Documenting the fungal biodiversity of Australasia: 1800 to 200 and beyond. *Australian Systematic Botany*. 14: 329-356.
96. McGlone, M. S., R.P. Duncan and P. B. Heenan. 2001. Endemism, species selection and the origin and distribution of the vascular plant flora of New Zealand. *Journal of Biogeography* 28: 199-216.
97. Stevens, G. R. 1989. The nature and timing of biotic links between New Zealand and Antarctic in Mesozoic and early Cenozoic times. Pp. 141-166 *In* J. A. Crame (ed.), *Origins and Evolution of the Antarctic Biota*. The Geological Society, London.
98. Manos, P. S. 1997. Systematics of *Nothofagus* (Nothofagaceae) based on rDNA spacer sequences (ITS): Taxonomic congruence with morphology and plastid sequences. *American Journal Botany* 84: 1137-1155.
99. Swenson, U., R. S. Hill, and S. McLoughlin. 2000. Ancestral area analysis of *Nothofagus* (Nothofagaceae) and its congruence with the fossil record. *Australian Systematic Botany* 13: 469-478.
100. Kelch, D. G. 1998. Phylogeny of Podocarpaceae: Comparison of evidence from morphology and 18S rDNA. *American Journal Botany* 85: 986-996.
101. Hoot, S. B. and A. W. Douglas. 1998. Phylogeny of the Proteaceae based on *atbB* and *atpB-rbcL* intergenic spacer region sequences. *Australian Systematic Botany* 11: 301-310.
102. Doyle, J. A. 2000. Paleobotany, relationships, and geographic history of Winteraceae. *Annals of the Missouri Botanical Garden* 87: 303-316.
103. Martin, P. G. and J. M. Dowd. 1993. Using sequences of *rbcL* to study phylogeny and biogeography of *Nothofagus* species. *Australian Systematic Botany* 6: 441-447.
104. Jordan, G. J. and R. S. Hill. 1999. The phylogenetic affinities of *Nothofagus* (Nothofagaceae) leaf fossils based on combined molecular and morphological data. *International Journal Plant Science* 160: 1177-1188.
105. Swenson, U., A. Backlund, S. McLoughlin, and R. S. Hill. 2001. *Nothofagus* biogeography revisited with special emphasis on the enigmatic distribution of subgenus *Brassospora* in New Caledonia. *Cladistics* 17: 28-47.
106. Wagstaff, S. J. and P. J. Garnock-Jones. 1998. Evolution and biogeography of the Hebe complex (Scrophulariaceae) inferred from ITS sequences. *New Zealand Journal of Botany* 36(3): 425-437.
107. Renner, S. S., D. B. Froeman, and D. Murray. 2000. Timing transantarctic disjunctions in the Antheropermataceae (Laurales): Evidence from coding and noncoding chloroplast sequences. *Systematic Biology* 49: 579-591.

108. Yokoyama, J., M. Suzuki, K. Iwatsuki, and M. Hasebe. 2000. Molecular phylogeny of *Coriaria*, with special emphasis on the disjunct distribution. *Molecular Phylogenetics and Evolution* 1: 11-19.
109. Winkworth, R. C., A. W. Robertson, F. Ehrendorfer, and P. J. Lockhart. 1999. The importance of dispersal and recent speciation in the flora of New Zealand. *Journal of Biogeography* 26: 1323-1325.
110. Crisp, M. D., S. Laffan, J. P. Linder, and A. Monro. 2001. Endemism in the Australian flora. *Journal of Biogeography* 28: 183-198.
111. Pole, M. 1994. The New Zealand flora – entirely long-distance dispersal? *Journal of Biogeography* 21: 625-635.
112. Ronquist, F. DIVA, Computer program for MacOS and Win32, version 1.0. Distributed by the author, Upsalla, Sweden.
113. Hausdorf, B. 1998. Weighted ancestral area analysis and a solution of the redundant distribution problem. *Systematic Biology* 47: 445-456.
114. Crum, H. A. 1972. The geographic origins of the mosses of eastern North America's eastern deciduous forest. *Journal of the Hattori Botanical Laboratory*. 35: 269-298.
115. Odrzykoski, I. J. and J. Szweykowski. 1991. Genetic differentiation without concordant morphological divergence in the thallose liverwort *Conocephalum conicum*. *Plant Systematics and Evolution* 178: 135-151.
116. Boisselier-Dubayle, M. C., M. F. Jubier, B. Lejeune, and H. Bischler. 1995. Genetic variability in the three subspecies of *Marchantia polymorpha* (Hepaticae): isozymes, RFLP, and RAPD markers. *Taxon* 44: 363-376.
117. Boisselier-Dubayle, M. C., J. Lambourdiere, and H. Bischler. 1998. Taxa delimitation in *Roboulia* investigated with morphological, cytological, and isozyme markers. *Bryologist*. 101: 61-69.
118. Shaw, A. J. 1995. Genetic biogeography of the rare "copper moss," *Scopelophila cataractae*. *Plant Systematics and Evolution* 197: 43-58.
119. Gonzalez, C. 2001. Undergraduate research, graduate mentoring, and the university's mission. *Science* 293: 1624-1626.
120. Jacobi, M. 1991. Mentoring and undergraduate academic success: a literature review. *Review of Educational Research* 61: 505-532.
121. National Academy of Sciences, National Academy of Engineering and Institute of Medicine. 1997. *Adviser, Teacher, Role Model, Friend: On Being a Mentor to Students in Science and Engineering*. National Academy Press (Washington, D.C.).