

End-of-Life Decisions: Challenges and Opportunities for Clinicians

Judith R. Gordon, Ph.D.
University of Washington
jgordon@u.washington.edu

Presented August 27, 2001 in the symposium "End-of-Life Decisions – Research, Practice, and Policy"
Chaired by Camille Preston, Ph.D., American Psychological Association Annual Convention, San Francisco, CA

Select References on Assessment, Counseling, and Interdisciplinary Teamwork in End-of-Life Situations

Because it is often difficult to separate articles into either assessment or counseling, these areas are combined in the lists below.

The following three sources will be referred to repeatedly in this presentation:

Back, A. L., Starks, H., Hsu, C., Gordon, J. R., Bharucha, A., & Pearlman, R. A. (under review, 2001). *Clinician-patient interactions about requests for physician-assisted suicide: A patient and family view.*

Lavery, J. V., Boyle, J., Dickens, B. M., Maclean, H., & Singer, P. A. (2001). Origins of the desire for euthanasia and assisted suicide in people with HIV-1 or AIDS: A qualitative study. *Lancet*, 358, 362-367.

Working Group on Assisted Suicide and End of Life Decisions. (2000). *Report to the Board of Directors.* Washington, DC: American Psychological Association. (Available at: <http://www.apa.org/pi/aseolf.html>)

For assessment instrument suggestions see:

Center to Improve Care of the Dying. (undated). *Toolkit of Instruments to Measure End of Life Care.* <http://www.gwu.edu/~cicd/toolkit/toolkit.htm>

Werth, J. L., Jr., Benjamin, G. A. H., & Farrenkopf, T. (2000). Requests for physician assisted death: Guidelines for assessing mental capacity and impaired judgment. *Psychology, Public Policy, and Law*, 6, 348-372.

Working Group on Assisted Suicide and End of Life Decisions. (2000). Appendix F in *Report to the Board of Directors.* (Available at: <http://www.apa.org/pi/aseol/appendixf.html>)

A. Overviews/Comprehensive Sources

American Psychological Association. (1997, July). *Terminal illness and hastened death requests: The important role of the mental health professional.* Washington, DC: Author. [Reprinted in *Professional Psychology: Research and Practice*, 28, 544-547 (1997).]

Baile, W. F., DiMaggio, J. R., Schapiro, D. V., & Janofsky, J. S. (1993). The request for assistance in dying: The need for psychiatric consultation. *Cancer*, 72, 2787-2791.

Block, S. D., & Billings, J. A. (1998). Evaluating patient requests for euthanasia and assisted suicide in terminal illness: The role of the psychiatrist. In M. D. Steinberg & S. J. Youngner (Eds.), *End-of-life decisions: A psychosocial perspective* (pp. 205-233). Washington, DC: American Psychiatric Press.

Burnell, G. M. (1995). Psychiatric assessment of the suicidal terminally ill. *Hawaii Medical Journal*, 54, 510-513.

Cherny, N. I., Coyle, N., & Foley, K. M. (1994a). Suffering in the advanced cancer patient: A definition and taxonomy. *Journal of Palliative Care*, 10, 57-70.

Cherny, N. I., Coyle, N., & Foley, K. M. (1994b). The treatment of suffering when patients request elective death. *Journal of Palliative Care*, 10, 71-79.

Chochinov, H. M., & Breitbart, W. (2000). *Handbook of psychiatry in palliative medicine*. New York: Oxford.

Cohen, L. M., Steinberg, M. D., Hails, K. C., Dobscha, S. K., & Fischel, S. V. (2000). Psychiatric evaluation of death-hastening requests. Lessons from dialysis discontinuation. *Psychosomatics*, *41*, 195-203.

Emanuel, E. J., & Emanuel, L. L. (1998). The promise of a good death. *Lancet*, *351*(suppl. 2), SII21-SII29.

Farrenkopf, T. & Bryan, J. (1999). Psychological consultation under Oregon's 1994 Death With Dignity Act: Ethics and procedures. *Professional Psychology: Research and Practice*, *30*, 245-249.

Ganzini, L., Leong, G. B., Fenn, D. S., Silva, J. A., & Weinstock, R. (2000). Evaluation of competence to consent to assisted suicide: Views of forensic psychiatrists. *American Journal of Psychiatry*, *157*, 595-600.

Goldblum, P. B., & Martin, D. J. (1999). Principles for the discussion of life and death options with terminally ill clients with HIV. *Professional Psychology: Research and Practice*, *30*, 187-197.

Holland, J. C., & Chertkov, L. (2001). Clinical practice guidelines for the management of psychosocial and physical symptoms of cancer. In K. M. Foley & H. Gelband (Eds.), *Improving palliative care for cancer* (pp. 7-1 - 7-60). Washington, DC: National Academy Press. (available at: http://search.nap.edu/html/palliative_care/)

International Work Group on Death, Dying, and Bereavement. (1993). A statement of assumptions and principles concerning psychosocial care of dying persons and their families. *Journal of Palliative Care*, *9*(2), 29-32.

Jamison, S. (1997). *Assisted suicide: A decision-making guide for health professionals*. San Francisco: Jossey-Bass.

Kleespies, P. M., Hughes, D. H., & Gallacher, F. P. (2000). Suicide in the medically and terminally ill: Psychological and ethical considerations. *Journal of Clinical Psychology*, *56*, 1153-1171.

Kleespies, P. M., & Mori, D. L. (1998). Life and death decisions: Refusing life-sustaining treatment. In P. M. Kleespies (Ed.), *Emergencies in mental health practice: Evaluation and management* (pp. 145-173). New York, NY: Guilford.

Miller, P. J., Hedlund, S. C., Murphy, K. A. (1998) Social work assessment at end of life: Practice guidelines for suicide and the terminally ill. *Social Work in Health Care*, *26*(4), 23-36.

Mishara, B. L. (1999). Synthesis of research and evidence on factors affecting the desire of terminally ill or seriously chronically ill persons to hasten death. *Omega*, *39*, 1-70.

National Association of Social Workers. (1994). Client self-determination in end-of-life decisions. In *Social work speaks* (3rd ed.) (pp. 58-61). Washington, DC: NASW Press.

Peruzzi, N., Canapary, A., & Bongar, B. (1996). Physician-assisted suicide: The role of mental health professionals. *Ethics & Behavior*, *6*, 353-366.

Shneidman, E. S. (1978). Some aspects of psychotherapy with dying persons. In C. A. Garfield (Ed.), *Psychosocial care of the dying patient* (pp. 201-218). New York: McGraw-Hill.

Shuster, J. L., Jr., Breitbart, W., & Chochinov, H. M. (1999). Psychiatric aspects of excellent end-of-life care. *Psychosomatics*, *40*, 1-4.

Steinberg, M. D. & Youngner, S. J. (Eds.) (1998). *End-of-life decisions: A psychosocial perspective*. Washington, DC: American Psychiatric Press.

The Task Force to Improve the Care of Terminally Ill Oregonians (Ed.) (1998). *The Oregon Death with Dignity Act: A guidebook for health care providers*. Portland, OR: Center for Ethics in Health Care, Oregon Health Sciences University.

Van Loon, R. A. (1999). Desire to die in terminally ill people: A framework for assessment and intervention. *Health and Social Work*, *24*, 260-268.

Werth, J. L., Jr. (1999a). Mental health professionals and assisted death: Perceived ethical obligations and proposed guidelines for practice. *Ethics and Behavior*, *9*, 159-183.

Werth, J. L., Jr. (2000). How do the mental health issues differ in the withholding/withdrawing of treatment versus assisted death? *Omega*, *41*, 259-278.

Werth, J. L., Jr., Benjamin, G. A. H., & Farrenkopf, T. (2000). Requests for physician assisted death: Guidelines for assessing mental capacity and impaired judgment. *Psychology, Public Policy, and Law*, 6, 348-372.

Werth, J. L., Jr., & Gordon, J. R. (1998). Helping at the end-of-life: Hastened death and the mental health professional. In L. VandeCreek, S. Knapp, & T. L. Jackson (Eds.), *Innovations in clinical practice: A sourcebook* (Vol. 16) (pp. 385-398). Sarasota, FL: Professional Resource Press.

Werth, J. L., Jr. (1999c). When is a mental health professional competent to assess a person's decision to hasten death? *Ethics and Behavior*, 9, 141-157.

B. Diagnosable Disorders

1. Clinical Anxiety Disorders

Barracough, J. (1997). ABC of palliative care: Depression, anxiety, and confusion. *British Medical Journal*, 315, 1365-1368.

Block, S. D. (2000). Assessing and managing depression in the terminally ill patient. *Annals of Internal Medicine*, 132, 209-218.

Strang, P. (1997). Existential consequences of unrelieved cancer pain. *Palliative Medicine*, 11, 299-305.

Velkova, A. B., Selby, P. J., Snaith, P. R., & Kirby, P. G. (1995). The relationship of cancer pain to anxiety. *Psychotherapy and Psychosomatics*, 63, 181-184.

2. Clinical Depression, Other Mood Disorders, and Hopelessness

Baile et al. (1993). See Section A.

Barracough, J. (1997). See Section B1.

Block, S. D. (2000). See Section B1.

Breitbart, W., Rosenfeld, B., Pessin, H., Kaim, M., Funesti-Esch, J., Galietta, M., Nelson, C. J., & Brescia, R. (2000). Depression, hopelessness, and desire for hastened death in terminally ill patients with cancer. *Journal of the American Medical Association*, 284, 2907-2911.

Chochinov, H. M., Wilson, K. G., Enns, M., & Lander, S. (1994). Prevalence of depression in the terminally ill: Effects of diagnostic criteria and symptom threshold judgments. *American Journal of Psychiatry*, 151, 537-540.

Chochinov, H. M., Wilson, K. G., Enns, M., & Lander, S. (1998). Depression, hopelessness, and suicidal ideation in the terminally ill. *Psychosomatics*, 39, 366-370.

Ganzini, L., Johnston, W. S., McFarland, B. H., Tolle, S. W., & Lee, M. A. (1998). Attitudes of patients with amyotrophic lateral sclerosis and their care givers toward assisted suicide. *New England Journal of Medicine*, 339, 967-973.

Peruzzi et al. (1996). See Section A.

Sullivan, M. D. (1998). Depression and the refusal of life-saving medical treatment. In M. D. Steinberg & S. J. Youngner (Eds.), *End-of-life decisions: A psychosocial perspective* (pp. 55-75). Washington, DC: American Psychiatric Press.

Zaubler, T. S., & Sullivan, M. D. (1996). Psychiatry and physician-assisted suicide. *Consultation-Liaison Psychiatry*, 19, 413-427.

Zeiss, A. M., Lewinsohn, P. M., Rohde, P., & Seeley, J. R. (1996). Relationship of physical disease and functional impairment to depression in older people. *Psychology and Aging*, 11, 572-581.

3. Cognitive Impairment (Delirium, Dementia)

Baker, R. R., Lichtenberg, P. A., & Moye, J. (1998). A practice guideline for assessment of competency and capacity of the older adult. *Professional Psychology: Research and Practice*, 29, 149-154.

Barracough, J. (1997). See Section B1.

- de Stoutz, N. D., Tapper, M., & Fainsinger, R. L. (1995). Reversible delirium in terminally ill patients. *Journal of Pain and Symptom Management, 10*, 249-253.
- Farrell, K. R., & Ganzini, L. (1995). Misdiagnosing delirium as depression in medically ill elderly patients. *Archives of Internal Medicine, 155*, 2459-2464.
- Ganzini, L., Lee, M. A., & Heintz, R. T. (1994). The capacity to make decisions in advance and borderline personality disorder. *Journal of Clinical Ethics, 5*, 360-364.
- Grisso, T., & Appelbaum, P. S. (1998). *Assessing competence to consent to treatment: A guide for physicians and other health professionals*. New York: Oxford.
- Haldipur, C. V., & Ward, M. S. (1996). Competence and other legal issues. In M. Hersen & V. Van Hasselt (Eds.), *Psychological treatment of older adults* (pp. 103-126). New York: Plenum.
- Inouye, S. K., Bogardus, S. T., Charpentier, P. A., Leo-Summers, L., Acampora, D., Holford, T. R., & Cooney, L. M., Jr. (1999). A multicomponent intervention to prevent delirium in hospitalized older patients. *New England Journal of Medicine, 340*, 669-676.
- Larson, E. B. & Imai, Y. (1996). An overview of dementia and ethnicity with special emphasis on the epidemiology of dementia. In G. Yeo & D. Gallagher-Thompson (Eds.), *Ethnicity and the dementias* (pp. 9-20). Washington, D. C.: Taylor & Francis.
- Lo, B. (1990). Assessing decision-making capacity. *Law, Medicine, & Health Care, 18*, 193-201.
- National Institutes of Health. (1997). *Symptoms in terminal illness: A research workshop*. Rockville, MD: Author.
- Orel, N. A. (1998). Ethical considerations in assessing the competency of older adults: A provision of informed consent. *Journal of Mental Health Counseling, 20*, 189-201.
- Peruzzi et al. (1996). See Section A.
- Peskind, E. R., & Raskind, M. A. (1996). Cognitive disorders. In E. W. Busse & D. G. Blazer (Eds.), *Textbook of geriatric psychiatry, second edition* (pp. 213-234). Washington, DC: American Psychiatric Press.
- Silberfeld, M., Nash, C., & Singer, P. A. (1993). Capacity to complete an advance directive. *Journal of the American Geriatrics Society, 41*, 1141-1143.
- Sullivan, M. D., & Youngner, S. J. (1994). Depression, competence, and the right to refuse lifesaving medical treatment. *American Journal of Psychiatry, 151*, 971-978.
- Teresi, J., Lawton, M. P., Ory, M., & Holmes, D. (1994). Measurement issues in chronic care populations: Dementia special care. *Alzheimer's disease and associated disorders, 8*(Suppl. 1), S144
- Veterans Affairs National Center for Cost Containment. (1997). *Assessment of competency and capacity of the older adult: A practice guideline for psychologists*. Milwaukee, WI: Author.
- Werth et al. (2000). See Section A.
- Working Group on the Older Adult. (1998). What practitioners should know about working with older adults. *Professional Psychology: Research and Practice, 29*, 413-427.
- Youngner, S. J. (1998). Competence to refuse life-sustaining treatment. In M. D. Steinberg & S. J. Youngner (Eds.), *End-of-life decisions: A psychosocial perspective* (pp. 19-54). Washington, DC: American Psychiatric Press.
- Zaubler & Sullivan (1996). See Section B2.

4. Substance Abuse

- Block, S. D., & Billings, J. A. (1998). See Section A.

C. Other Mental Health Issues

1. Autonomy/Control/Self-Determination

Back, A. L., Wallace, J. I., Starks, H. E., & Pearlman, R. A. (1996). Physician-assisted suicide and euthanasia in Washington state: Patient requests and physician responses. *Journal of the American Medical Association, 275*, 919-925.

Chin, A. E., Hedberg, K., Higginson, G. K., & Fleming, D. W. (1999). Legalization physician-assisted suicide in Oregon: The first year's experience. *New England Journal of Medicine, 340*, 577-583.

Coombs Lee, B. & Werth, J. L., Jr. (2000). Observations on the first year of the Oregon Death with Dignity Act. *Psychology, Public Policy, and Law, 6*, 268-290.

Ganzini, L., Leong, G. B., Fenn, D. S., Silva, J. A., & Weinstock, R. (2000). Evaluation of competence to consent to assisted suicide: Views of forensic psychiatrists. *American Journal of Psychiatry, 157*, 595-600.

Singer, P. A, Martin, D. K., & Kelner, M. (1999). Quality end-of-life care: Patients' perspectives. *Journal of the American Medical Association, 281*, 163-168.

Sullivan, A. D., Hedberg, K., & Fleming, D. W. (2000). Legalized physician-assisted suicide in Oregon – The second year. *New England Journal of Medicine, 342*, 598-604.

Sullivan, A. D., Hedberg, K., & Hopkins, D. (2001). Legalized physician-assisted suicide in Oregon, 1998-2000. *New England Journal of Medicine, 344*, 605-607.

2. Dignity

Kade, W. J. (2000). Death with dignity: A case study. *Annals of Internal Medicine, 132*, 504-506.

3. Existential and Spiritual Beliefs

Block, S. D., & Billings, J. A. (1998). See Section A.

Lo, B., Quill, T., & Tulsky, J. (1999). Discussing palliative care with patients. *Annals of Internal Medicine, 130*, 744-749.

Strang, P. (1997). See Section B1.

4. Fear

Ganzini et al. (2000). See Section B1.

Lavery et al. (2001). See Top of Page.

Strang, P. (1997). See Section B1.

Sullivan et al. (2000). See Section B1.

Sullivan et al. (2001). See Section B1.

5. Grief

Beder, J. (1998). Bereavement after a physician-assisted suicide: A speculation based on theory. *Suicide and Life-Threatening Behavior, 28*, 302-308.

Block, S. D., & Billings, J. A. (1998). See Section A.

Jamison, S. (2000). Factors to consider before participating in a hastened death: Psychosocial issues for medical professionals. *Psychology, Public Policy, and Law, 6*, 416-433.

Werth, J. L., Jr. (1999). The role of the mental health professional in helping significant others of persons who are assisted in death. *Death Studies, 23*, 239-255.

6. Pain

AGS [American Geriatrics Society] Panel on Chronic Pain in Older Persons. (1998). The management of chronic pain in older persons. *Journal of the American Geriatrics Society, 46*, 635-651.

Breitbart, W., Passik, S., & Payne, D. (1998). Psychological and psychiatric interventions in pain control. In D. Doyle, G. W. Hanks, & N. MacDonald (Eds.), *Oxford textbook of palliative medicine* (2nd ed.) (pp. 933-956). New York: Oxford.

Eimer, B. N., & Freeman, A. (1998). *Pain management psychotherapy: A practical guide*. New York: John Wiley & Sons.

Massie, M. J., & Holland, J. C. (1992). The cancer patient with pain: Psychiatric complications and their management. *Journal of Pain and Symptom Management*, 7, 99-109.

National Institutes of Health Technology Assessment Conference Statement. (1995). *Integration of behavioral and relaxation approaches into the treatment of chronic pain and insomnia*. Rockville, MD: National Institutes of Health.

Sullivan, M., Rapp, S., Fitzgibbon, D., & Chapman, C. R. (1997). Pain and the choice to hasten death in patients with painful metastatic cancer. *Journal of Palliative Care*, 13(3), 18-28.

Turk, D. C., & Feldman, C. S. (1992). *Noninvasive approaches to pain management in the terminally ill*. New York: Haworth.

7. Psychodynamic Issues

Appelbaum, P. S., & Roth, L. H. (1981). Clinical issues in the assessment of competency. *American Journal of Psychiatry*, 138, 1462-1467.

Block, S. D., & Billings, J. A. (1998). See Section A.

Dinwiddie, S. H. (1999). Potential psychodynamic factors in physician-assisted suicide. *Omega*, 40, 101-108.

Jamison, S. (1997). See Section A.

Levy, S. M. (1990). Humanizing death: Psychotherapy with terminally ill patients. In P. T. Costa, Jr. & G. R. VandenBos (Eds.), *Psychological aspects of serious illness: Chronic conditions, fatal diseases, and clinical care* (pp. 189-213). Washington, DC: American Psychological Association.

Maddi, S. R. (1990). Prolonging life by heroic measures: A humanistic existential perspective. In P. T. Costa, Jr. & G. R. VandenBos (Eds.), *Psychological aspects of serious illness: Chronic conditions, fatal diseases, and clinical care* (pp. 155-184). Washington, DC: American Psychological Association.

Muskin, P.R. (1998). The request to die: Role for a psychodynamic perspective on physician-assisted suicide. *Journal of the American Medical Association*, 279, 323-328.

Shneidman, E. S. (1978). Some aspects of psychotherapy with dying persons. In C. A. Garfield (Ed.), *Psychosocial care of the dying patient* (pp. 201-218). New York: McGraw-Hill.

8. Quality of Life

Steinhauser, K. E., Christakis, N. A., Clipp, E. C., McNeilly, M., McIntyre, L., & Tulsky, J. A. (2000). Factors considered important at the end of life by patients, family, physicians, and other care providers. *Journal of the American Medical Association*, 284, 2476-2482.

D. Interpersonal and Environmental Issues

1. Being a Burden

Beery, L. C., Prigerson, H. G., Bierhals, A. J., Santucci, A. J., Newsom, J. T., Maciejewski, P. K., Rapp, S. R., Fasiczka, A., & Reynolds, C. F., III. (1997). Traumatic grief, depression and caregiving of elderly spouses of the terminally ill. *Omega*, 35, 261-279.

Cooke, M., Gourlay, L., Collette, L., Boccellari, A., Chesney, M. A., & Folkman, S. (1998). Informal care givers and the intention to hasten AIDS-related death. *Archives of Internal Medicine*, 158, 69-75.

Covinsky, K. E., Goldman, L., Cook, E. F., Oye, R., Desbiens, N., Reding, D., Fulkerson, W., Connors, A. F. Jr., Lynn, J., & Phillips, R. S. (1994). The impact of serious illness on patients' families. *Journal of the American Medical Association*, 272, 1839-1844.

Emanuel, E. J., Fairclough, D. L., Slutsman, J., & Emanuel, L. L. (2000). Understanding economic and other burdens of terminal illness: The experience of patients and their caregivers. *Annals of Internal Medicine*, 132, 451-459.

Jecker, N. S. (1993). Being a burden on others. *Journal of Clinical Ethics*, 4, 16-20.

King, D. A., Kim, S. Y. H., & Conwell, Y. (2000). Family matters: A social systems perspective on physician-assisted suicide and the older adult. *Psychology, Public Policy, and Law*, 6, 434-451.

Ott, B. B. (1998). Physician-assisted suicide and older patients' perceived duty to die. *Advance Practice Nursing Quarterly*, 4, 65-70.

Schulz, R., & Beach, S. R. (1999). Caregiving as a risk factor for mortality. *Journal of the American Medical Association*, 282, 2215-2219.

Schulz, R., O'Brien, A. T., Bookwala, J. & Fleissner, K. (1995). Psychiatric and physical morbidity effects of dementia caregiving: Prevalence, correlates and causes. *Gerontologist*, 35, 771-791.

Singer et al. (1999). See Section C1.

2. Caregiver Issues

Bascom, P. B., & Tolle, S. W. (1995). Care of the family when the patient is dying. *Western Journal of Medicine*, 163, 292-296.

Jamison, S. (1995). *Final acts of love: Families, friends, and assisted dying*. New York: Tarcher/Putnam.

Rothchild, E. (1998). Family dynamics in decisions to withhold or withdraw treatment. In M. D. Steinberg & S. J. Youngner (Eds.), *End-of-life decisions: A psychosocial perspective* (pp. 77-107). Washington, DC: American Psychiatric Press.

3. Cultural Factors

Blackhall, L. J., Murphy, S. T., Frank, G., Michel, V., & Azen, S. (1995). Ethnicity and attitudes toward patient autonomy. *Journal of the American Medical Association*, 274, 820-825.

Braun, K. L., Pietsch, J. H., & Blanchette, P. L. (2000). *Cultural issues in end-of-life decision-making*. Thousand Oaks, CA: Sage.

Braun, K. L., Tanji, V. M., & Heck, R. (2001). Support for physician-assisted suicide: Exploring the impact of ethnicity and attitudes toward planning for death. *Gerontologist*, 41, 51-60.

Canetto, S. S. (1995). Elderly women and suicidal behavior. In S. S. Canetto & D. Lester (Eds.), *Women and suicidal behavior* (pp. 215-233). New York: Springer.

Canetto, S. S., & Hollenshead, J. D. (1999). Gender and physician-assisted suicide: Analysis of the Kevorkian cases, 1990-1997. *Omega*, 40, 165-208.

Canetto, S. S., & Hollenshead, J. D. (2001). Older women and mercy killing. *Omega*, 42, 83-99.

Caralis, P. V., Davis, B., Wright, K., & Marcial, E. (1993). The influence of ethnicity and race on attitudes toward advance directives, life-prolonging treatments, and euthanasia. *Journal of Clinical Ethics*, 4, 155-165.

Carrese, J. A., & Rhodes, L. A. (1995). Western bioethics on the Navajo reservation. *Journal of the American Medical Association*, 274, 826-829.

Cicirelli, V. G. (1997). Relationship of psychosocial and background variables to older adults' end-of-life decisions. *Psychology and Aging*, 12, 72-83.

Gallagher-Thompson, D., & Osgood, N. J. (1997). Suicide in later life. *Behavior Therapy*, 28, 23-41.

Hallenbeck, J., Goldstein, M. K., & Mebane, E. W. (1996). Cultural considerations of death and dying in the United States. *Clinics in Geriatric Medicine*, 12, 393-406.

Hern, E. H., Jr., Koenig, B.A., Moore, L. J., & Marshall, P.A. (1998). The difference that culture can make in end-of-life decisionmaking. *Cambridge Quarterly of Healthcare Ethics*, 7, 27-40.

Irish, D. P., Lundquist, K. F. & Nelsen, V. J. (Eds.) (1993). *Ethnic variations in dying, death, and grief*. Washington, D. C.: Taylor & Francis.

Koenig, B. A. (1997). Cultural diversity in decisionmaking about care at the end of life. In M. J. Field, & C. K. Cassel (Eds.), *Approaching death: Improving care at the end-of-life* (pp. 363-382). Washington, DC: National Academy Press.

Lo, B., Quill, T., & Tulsky, J. (1999). Discussing palliative care with patients. *Annals of Internal Medicine*, 130, 744-749.

McKinley, E. D., Garrett, J. M., Evans, A. T., & Danis, M. (1996). Differences in end-of-life decision making among black and white ambulatory cancer patients. *Journal of General Internal Medicine*, *11*, 651-656.

Morrison, R. S., Zayas, L. H., Mulvihill, M., Baskin, S. A., & Meier, D. E. (1998). Barriers to completion of health care proxies: An examination of ethnic differences. *Archives of Internal Medicine*, *158*, 2493-2497.

O'Brien, L. A., Grisso, J. A., Maislin, G., LaPann, K., Krotki, K. P., Grecco, P. J., Siegert, E. A., & Evans, L. K. (1995). Nursing home residents' preferences for life-sustaining treatments. *Journal of the American Medical Association*, *274*, 1775-1779.

Taylor A., & Box, M. (1999). *Multicultural palliative care guidelines*. Sydney, Australia: Palliative Care Australia. [Available at: <http://www.pallcare.asn.au/mc/mccontents.html>]

4. Financial Variables

Covinsky et al. (1994). See Section D1.

Covinsky, K. E., Landefeld, C. S., Teno, J., Connors, A. F., Jr., Dawson, N., Youngner, S., Desbiens, N., Lynn, J., Fulkerson, W., Reding, D., Oye, R., & Phillips, R. S. (1996). Is economic hardship on the families of the seriously ill associated with patient and surrogate care preferences? *Archives of Internal Medicine*, *156*, 1737-1741.

Emanuel et al. (2000). See Section D1.

Field, D. (1998). Financial issues. In The Task Force to Improve the Care of Terminally-Ill Oregonians (Ed.), *The Oregon Death with Dignity Act: A guidebook for health care providers* (p. 42). Portland, OR: Oregon Health Sciences University, Center for Ethics in Health Care.

Gallagher-Thompson & Osgood. (1997). See Section D3.

Ott, B. B. (1998). See Section D1.

E. Interdisciplinary Team

American Geriatrics Society. (1997). Measuring quality of care at the end of life: A statement of principles. *Journal of the American Geriatrics Society*, *45*, 526-527.

American Geriatrics Society Ethics Committee. (1998, May). *The care of dying patients*. [Available at: <http://www.americangeriatrics.org/products/positionpapers/careofd.shtml>]

Breitbart et al. (1998). See Section C6.

Cassel, C. K., & Foley, K. M. (Eds.) (1999, Dec.). *Principles for care of patients at the end of life: An emerging consensus among the specialties of medicine*. [Available at: <http://www.milbank.org/endoflife/index.html>]

Cummings, I. (1998). The interdisciplinary team. In D. Doyle, G. W. Hanks, & N. MacDonald (Eds.), *Oxford textbook of palliative medicine* (2nd ed.) (pp. 19-30). New York: Oxford.

Faber-Langendoen, K., & Karlawish, J. H. T. (2000). Should assisted suicide be only physician assisted? *Annals of Internal Medicine*, *132*, 482-487.

Singer et al. (1999). See Section C1.